



Koroseal Wallcoverings are manufactured by:

**RJF International Corporation
3875 Embassy Parkway
Fairlawn, Ohio 44333**

**Koroseal Wallcoverings
FACT SHEET**

Pattern Name: Beachstone Stripe

QUIK SPEC

U.S. UNITS:

METRIC UNITS:

<i>Total Weight:</i>	26 oz. PLY	805 g. PLM
	17.3 oz. PSY	587 g. PSM
<i>Roll Width:</i>	55/56 in.	139/142 cm.
<i>Gauge (average):</i>	0.030 in.	0.76 mm.
<i>Fabric:</i>	Non-Woven	---
<i>Tensile (minimum):</i>	50 x 50 lb _f	222 x 222 N
<i>Tear (minimum):</i>	25 x 25	---
<i>WA Spec:</i>	WA-W-101, Type II	---
<i>Fire Testing:</i>	NFPA 101 [®] Life Safety Code [®] NFPA 255 (UL723, CAN S102M) Tunnel Test ¹ - Class A Rating NFPA 286 Corner Burn Test ² Meets requirements for Flame Spread, Smoke Developed and Flashover	
<i>Repeat: Horizontal</i>	6.62 in.	16.8 cm
<i>Vertical</i>	N.A.	
<i>Nominal Pattern Width:</i>	53 in.	134 cm.
<i>Hanging Instructions:</i>	Reverse – Space Stripes	
<i>Special Instructions:</i>	1. When tested on GRC board with A-848-B adhesive 2. When tested on 5/8" type X gypsum board with A-848-B adhesive	

*These decorative metallic wallcoverings should only be cleaned with mild ingredients such as soap, detergent and water. Stronger, more alkaline household cleaners have the potential to damage the surface of the wallcoverings as does excessive scrubbing.

COLORLINE

15 Colorways

Pattern Description: Sand & beach stones in 3 ¼" stripes, one is beaded and shiny, the other low-beam and subtle; great juxtaposition two of textures and lustres.

8B26-02 Lido	8B26-81 Coastal Fog*	8B26-39 Undertow*
8B26-23 Sandcastles	8B26-47 Volley*	8B26-96 Cliff's Edge*
8B26-18 Longshore*	8B26-89 Dune Grass*	8B26-41 Pebble-skip*
8B26-36 Strata*	8B26-73 Beach Towel*	8B26-69 Pareos*
8B26-45 Tombolo*	8B26-70 Riptide*	8B26-55 Maui Girl*

Notes:

- "Pattern Width" is the trim width on the specification and represents the width of the wallcovering that will be received by the customer.
- "Gauge" is the product thickness measured after the first pattern colorway is produced.
- "Tensile" and "Tear" results are the minimums required by specification WA-101 Wallcovering Association Quality Standard for Polymer Coated Fabric Wallcovering..
- "Nominal Pattern Width" is the expected width yield from one drop on the wall.