



**Sanitas Wallcoverings are manufactured by:**  
**RJF International Corporation**  
**3875 Embassy Parkway**  
**Fairlawn, Ohio 44333**

**Sanitas Wallcoverings**  
**FACT SHEET**  
**Pattern Name: Cumbria©**

<b>QUIK SPEC</b>	<b>U.S. UNITS:</b>	<b>METRIC UNITS:</b>
<i>Total Weight:</i>	21 oz. PLY	651 g. PLM
	14 oz. PSY	475 g. PSM
<i>Roll Width:</i>	52/54 in.	132/137 cm.
<i>Gauge (average):</i>	0.019 in.	0.48 mm.
<i>Fabric:</i>	Osnaburg	---
<i>Tensile (minimum):</i>	50 x 50 lb <sub>f</sub>	222 x 222 N
<i>Tear (minimum):</i>	25 x 25	---
<i>WA Spec:</i>	WA-W-101, Type II	---
<i>Fire Testing:</i>	NFPA 101 <sup>®</sup> Life Safety Code <sup>®</sup> NFPA 255 (UL723, CAN S102M) Tunnel Test <sup>1</sup> - Class A Rating NFPA 286 Corner Burn Test <sup>2</sup> Meets requirements for Flame Spread, Smoke Developed and Flashover	
<i>Repeat: Horizontal</i>	N.A.	N.A.
<i>Vertical</i>	N.A.	N.A.
<i>Nominal Pattern Width:</i>	52 in.	132 cm.
<i>Hanging Instructions:</i>	Random Reverse	
<i>Special Instructions:</i>	1. When tested on GRC board with A-848-B adhesive 2. When tested on 5/8" type X gypsum board with A-848-B adhesive	

**COLORLINE (PATTERN NUMBER/NAME OF COLORS)**

25 Colorways

*Pattern Description:* Reminiscent of small print fabrics – inspired by mosaic decorative art and rich with the history of English stonework.

Sackett	7C21-08	Terceira	7C21-85	Bamburgh	7C21-88
Promise of Odin	7C21-22	Warwick	7C21-40	Inishmor	7C21-92
King's Bath	7C21-83	Tattershall Keep	7C21-80	Su Naraxi	7C21-81
Lady Clifford	7C21-89	Ashlar	7C21-23	Lennox	7C21-71
Carriage Roads	7C21-13	Ambergris	7C21-98	Ravenna	7C21-72
Avebury	7C21-36	Castle Rising	7C21-18	Meritoria	7C21-86
Amber Routes	7C21-45	Hadleigh	7C21-31	Saxon	7C21-57
Romana	7C21-49	Carisbrooke	7C21-76	Appolinaire	7C21-63
				Greenwich	7C21-10

**Notes:**

- “Roll Width” is the trim width on the specification and represents the width of the wallcovering that will be received by the customer.
- “Gauge” is the product thickness measured after the first pattern colorway is produced.
- “Tensile” and “Tear” results are the minimums required by specification WA-101 Wallcovering Association Quality Standard for Polymer Coated Fabric Wallcovering.
- “Nominal Pattern Width” is the expected width yield from one drop on the wall.