



**Sanitas Wallcoverings are manufactured by:**  
**RJF International Corporation**  
**3875 Embassy Parkway**  
**Fairlawn, Ohio 44333**

**Sanitas Wallcoverings**  
**FACT SHEET**  
**Pattern Name: Destiny©**

<b>QUIK SPEC</b>	<b>U.S. UNITS:</b>	<b>METRIC UNITS:</b>
<i>Total Weight:</i>	21 oz. PLY	651 g. PLM
	14 oz. PSY	475 g. PSM
<i>Roll Width:</i>	52/54 in.	132/137 cm.
<i>Gauge (average):</i>	0.023 in.	0.59 mm.
<i>Fabric:</i>	Osnaburg	---
<i>Tensile (minimum):</i>	50 x 50 lb <sub>f</sub>	222 x 222 N
<i>Tear (minimum):</i>	25 x 25	---
<i>WA Spec:</i>	WA-W-101, Type II	---
<i>Fire Testing:</i>	NFPA 101 <sup>®</sup> Life Safety Code <sup>®</sup> NFPA 255 (UL723, CAN S102M) Tunnel Test <sup>1</sup> - Class A Rating NFPA 286 Corner Burn Test <sup>2</sup> Meets requirements for Flame Spread, Smoke Developed and Flashover	
<i>Repeat: Horizontal</i>	N.A.	N.A.
<i>Vertical</i>	N.A.	N.A.
<i>Nominal Pattern Width:</i>	51 in.	129 cm.
<i>Hanging Instructions:</i>	Random Reverse	
<i>When tested on GRC board with A-848-B adhesive</i>		
<i>1. When tested on 5/8" type X gypsum board with A-848-B adhesive</i>		

**COLORLINE**

24 Colorways

*Pattern Description:* Many beautiful fabric textures such as this have their roots in the Middle Ages when the European upper class hung tapestries to keep out the cold and damp and bring color to their dwellings.

2D21-59 Amber	2D21-25 Grey Mirage	2D21-14 Safari
2D21-52 Bronze	2D21-30 Hampshire Green	2D21-98 Shale
2D21-31 Buttercream	2D21-04 Ivory	2D21-86 Sherwood Green
2D21-35 Caramel Tint	2D21-27 Maple	2D21-92 Skylight
2D21-64 Cinnabark	2D21-90 Pewter	2D21-33 Sunlit Mesa
2D21-19 Cream Silk	2D21-95 Rialto Grey	2D21-22 Winsome Beige
2D21-97 Dawn Mist	2D21-61 River Rouge	2D21-16 Winter White
2D21-38 Desert Tan	2D21-09 River Sand	2D21-81 Woodgate

**Notes:**

- “Pattern Width” is the trim width on the specification and represents the width of the wallcovering that will be received by the customer.
- “Gauge” is the product thickness measured after the first pattern colorway is produced.
- Tensile” and “Tear” results are the minimums required by specification WA-101 Wallcovering Association Quality Standard for Polymer Coated Fabric Wallcovering.
- “Nominal Pattern Width” is the expected width yield from one drop on the wall.