



Koroseal Interior Products Group
RJF International Corporation
3875 Embassy Parkway
Fairlawn, Ohio 44333

FACT SHEET
Sondra Alexander Couture
Pattern Name: Indulgence
(recolored 2009)

QUIK SPEC	U.S. UNITS	METRIC UNITS
<i>Total Weight:</i>	21 oz. PLY	651 g. PLM
	14 oz. PSY	474 g. PSM
<i>Roll Width:</i>	55.0/55.5 in.	140/141 cm.
<i>Gauge (average):</i>	0.020 in.	0.51 mm.
<i>Fabric:</i>	Osnaburg	
<i>Tensile (minimum):</i>	50 x 50 lb _f	222 x 222 N
<i>Tear (minimum):</i>	25 x 25	
<i>WA Spec:</i>	WA-W-101, Type II	
<i>Fire Testing:</i>	NFPA 101 [®] Life Safety Code [®] NFPA 255 (ASTM E-84 CAN S102M) Tunnel Test ¹ - Class A Rating NFPA 286 Corner Burn Test ² Meets requirements for Flame Spread, Smoke Developed and Flashover	
<i>Repeat: Horizontal</i>	6.0 in.	15.3 cm
<i>Vertical</i>	8.13 in.	20.7 cm
<i>Hanging Instructions:</i>	Match Blocks (Reverse)	
1. When tested on GRC board with A-848-B adhesive 2. When tested on 5/8" type X gypsum board with Koroseal [®] A-848-B adhesive		

COLORLINE

23 Colorways

Gorgeous leather texture stitched in 6x8" rectangles – couture for the walls!

3B21-11 Artemesia	3B21-48 Lucca*	3B21-93 Corso Como*
3B21-30 Livia	3B21-55 V. Adriana	3B21-51 Alessandro
3B21-13 Ostia Antica	3B21-84 Palladio	3B21-53 Piazza de Spagno
3B21-19 Capitoline	3B21-68 Borghese	3B21-94 Di Corsano*
3B21-08 Augustus	3B21-73 Amalfi*	3B21-35 Val di Pesa
3B21-04 Aventine	3B21-56 Alberese	3B21-60 Positano
3B21-29 Via Appia	3B21-52 S. Sophia	3B21-99 La Pampas
3B21-43 Via Condotti		3B21-40 Sorrento

*These decorative metallic wallcoverings should only be cleaned with mild ingredients such as soap, detergent and water. Stronger, more alkaline household cleaners (ex. Lestoil[®]) have the potential to damage the surface of the wallcovering along with excessive scrubbing.

Notes:

- "Pattern Width" is the trim width on the specification and represents the width of the wallcovering that will be received by the customer.
- "Gauge" is the product thickness measured after the first pattern colorway is produced.
- "Tensile" and "Tear" results are the minimums required by specification WA-101 Wallcovering Association Quality Standard for Polymer Coated Fabric Wallcoverings.
- "Nominal Pattern Width" is the expected width yield from one drop on the wall.