Vicrtex®

3875 Embassy Parkway
Fairlawn, OH 44333

(800) 828-4556 www.koroseal.com

Tea Leaves©

FACT SHEET

Unlike the leaves used in a proper tea leaves reading, our leaves are concisely arranged rather than a random happenstance. The tiny elliptical leaves appear as if they were woven into a grass mat. The delicate outline and veining of each leaf is accentuated by pearl or metallic inks giving it a delicate and almost transparent appearance. Given the mystical fortune telling properties of tea leaves how can this design fail to have a bright and prosperous future.

		US UNITS	METRIC UNITS
Total Weight		21.0 oz PLY 14.0 oz PSY	651 g PLM 475 g PSM
Roll Width		52/54 in.	132/137 cm
Gauge		29 Mils	0. 74 mm
Fabric		Osnaburg	
Tensile (Minimum)		50 x 50 lb_f	222 x 222 N
Tear (Minimum)		25 x 25	
WA Spec		WA-W-101, Type II	
Fire Testing		NFPA 101® Life Safety Code® NFPA255 (UL723, CAN S102M) Tunnel Test[1] Class A Rating NFPA 286 Corner Burn Test[2] Meets requirements for Flame Spread, Smoke Developed and Flashover	
Repeat	Vertical	N/A	
	Horizontal	N/A	
	Nominal Pattern Width	51 in.	129 cm
	Match Information	Random Match, Reverse Hang	

1 When applied to GRC Board with A-848-B adhesive

2 When applied to 5/8" Type-X gypsum board with A-848-B adhesive

Available in 16 Colorways

TL21-76 Assam
TL21-74 Ceylon
TL21-38 Chai Tea
TL21-26 Chamomile
TL21-03 Darjeeling White
TL21-45 Earl Grey
TL21-85 Herbal Infusion
TL21-51 Lapsang
TL21-13 Lemon Verbena
TL21-20 Lychee
TL21-62 Masala
TL21-37 Oolong
TL21-40 Pu Erh
TL21-68 Russian Caravan
TL21-89 Tisane
TL21-11 Yinzhen

Vicrtex® is a registered trademark of RJF International Corporation Tea Leaves© is a copyright of RJF International Corporation
NFPA 101® and Life Safety Code® are registered trademarks of National Fire Prevention Association
©2007 RJF International Corporation
22-47-TL21/08/2007