

3875 Embassy Parkway, Suite 110  
 Fairlawn, OH 44333  
 330-678-7600 Phone  
 330-668-7701 Fax



**Declaration of Conformity**

RJF International Corporation  
 700 BF Goodrich Road  
 Marietta, OH 46750

Trading As: **Koroseal, Vicrtex, Sanitas, RJF, Warner, and Option e**

In accordance with Directive 89/106 EEC, The Construction Products Directive, do hereby declare that the CE marked products specified in Table 1 conform to the product performance requirements of annex ZA in the product standard:

**EN 15102 : 2007**  
**Decorative Wallcoverings - Roll and Panel Form**

Table 1

Construction Product Description:	Classification Report:	Reaction to Fire:			
Fabric and Nonwoven Backed Vinyl Wallcovering: 271 gm/m <sup>2</sup> to 339 gm/m <sup>2</sup>	WFRGENT Reaction to fire classification Nr 13171C	B s2 d0			
Fabric and Nonwoven Backed Vinyl Wallcovering 651 gm/m <sup>2</sup> to 744 gm/m <sup>2</sup>	WFRGENT Reaction to fire classification Nr 13893C	B s2 d0			
Fabric and Nonwoven Backed TPO Wallcovering (Option e) 383 gm/m <sup>2</sup>	WFRGENT Reaction to fire classification Nr 14262E	B s2 d0			
Other requirements:	Release of Heavy metals and specific elements - Pass				
Release of Formaldehyde – Pass (< 120mg/Kg)	Heavy Metal	Specification	Vinyl	TPO	
	Antimony	No upper limit	1	2.3	
Release of Vinyl Chloride Monomer – Pass (< 0.2mg/Kg)	Arsenic	< 25 mg/Kg	< 2	< 2	
	Barium	< 500 mg/Kg	< 2	38	
Sound Absorption – No performance determined	Cadmium	< 25 mg/Kg	< 0.2	< 0.2	
	Chromium	< 60 mg/Kg	< 1	< 1	
Thermal Resistance – No performance determined	Mercury	< 20 mg/Kg	< 0.05	< 0.05	
	Lead	< 90 mg/Kg	< 2	< 2	
	Selenium	< 165 mg/Kg	< 2	< 2	
	Test Report: TÜV Rheiland Report: 9904R-10.28608				
Intended Use: Hanging on to internal walls, partitions, or ceilings by means of adhesive for the primary purpose of decoration.					
Notified Certification Body: Laboratoire national de métrologie et d'essais Paris, France 75724					
EC Reference Number: 0459		Manufacturing Site Reference: 0071-CPD-20376			

Signed: *William C. Rogers*

Position: Quality Manager

Name: William Rogers

Date: 1-2-11